

(SRI H. M. CHANNABASAPPA)

Devanahalli Taluk.

- | | |
|------------------------|------------------------------|
| 1 Bannimangala Tank. | 15 Sathur Hally Tank. |
| 2 Beerasandra Tank. | 16 Jala Tank. |
| 3 Bagloor Tank. | 17 Settarahally Tank. |
| 4 Solur Tank. | 18 Agrahara Tank (Breached). |
| 5 Viswanthapur Tank. | 19 Thata machanahally Tank. |
| 6 Qoira Tank. | 20 Batrenahally Tank. |
| 7 Aravanahally Tank. | 21 Galige Tank. |
| 8 Tharabanahally Tank. | 22 Sometmanikere. |
| 9 Bettakote Tank. | 23 Sadahally Tank. |
| 10 Singehally Tank. | 24 Gokere. |
| 11 Harlur Tank. | 25 Chennaraga Tank. |
| 12 Thimmasandra Tank. | 26 Kanahalli Tank. |
| 13 Tharahavle Tank. | 27 Konganabele Tank. |
| 14 Kodegenahally Tank. | 28 Bethanahally Tank. |

ಶ್ರೀ ಎಸ್. ಆರ್. ರಾಮಯ್ಯ.—ಮೊದಲನೆಯ ಪಟ್ಟಿಯ ಪ್ರಕಾರ 6 ಕೆರೆಗಳು ಕಿತ್ತುಹೋಗಿವೆ ಎಂದು ಹೇಳಿದ್ದೀರಿ. ಇದರಿಂದ ಬೆಳೆಗೆ ಬಹಳ ತೊಂದರೆ ಎಂಬುದು ಸರ್ಕಾರದ ಗಮನಕ್ಕೆ ಬಂದಿದೆಯೇ ?

Sri M. N. NAGHNOOR.—Yes. Plans and estimates in this behalf are being prepared.

ಶ್ರೀ ಎಸ್. ಆರ್. ರಾಮಯ್ಯ.—ಹಾಗಿದ್ದ ಪಕ್ಷದಲ್ಲಿ ಆ ಬಗ್ಗೆ ಕೂಡಲೆ ತಕ್ಕ ಕ್ರಮ ತೆಗೆದುಕೊಳ್ಳುವುದಕ್ಕೆ ಇನ್ನೆಷ್ಟು ದಿವಸಗಳು ಬೇಕಾಗುತ್ತವೆ ?

Sri M. N. NAGHNOOR.—We will take all possible steps to expedite the matter.

ಶ್ರೀ ಎಸ್. ಆರ್. ರಾಮಯ್ಯ.—ಇಷ್ಟು ತಡವಾಗುವುದಕ್ಕೆ ಕಾರಣವೇನು ?

Sri H. M. CHANNABASAPPA.—It is true that there has been some delay in this matter. It was on account of some disputes between the contractors and the engineer and we have recently investigated the whole thing and action has been taken against the engineer. We are taking steps to see that all these works are executed well in time.

ಶ್ರೀ ಎಸ್. ಆರ್. ರಾಮಯ್ಯ.—ಈ ನೀಡನ್ನಿನಲ್ಲಿ ಏನಾದರೂ ಕೆಲಸಮಾಡುವುದಕ್ಕೆ ವ್ಯವಸ್ಥಾಯಕ್ಕೆ ನೀರು ಕೊಡುವುದಕ್ಕೆ ಸಾಧ್ಯವಾಗುತ್ತದೆಯೇ ?

Sri H. M. CHANNABASAPPA.—All possible efforts will be made to see that the breaches are filled, subject to our capacity to work.

Construction of High Level Causeway across Hagari River near Kududarahal Village.

*Q.—591. Sri B. E. RAMIAH (Siruguppa).—

Will the Government be pleased to state:—

(a) whether they have received any representations and memoranda for the construction of a High Level Causeway across Hagari river near Kududarahal village in Siruguppa Taluk ;

(b) whether any estimates have been prepared in this behalf, and if so, the cost of the estimate ;

(c) at what stage the matter stands at present ?

A.—Sri H. M. CHANNABASAPPA (Minister for Public Works and Electricity).—

(a) Yes.

(b) Yes, a preliminary estimate for Rs. 51,000 for the road from Bhagawadi to Kududarahal inclusive of this causeway, has been prepared.

(c) Detailed surveys are being done to fix up the final alignment.

ಶ್ರೀ ಬಿ. ಇ. ರಾಮಯ್ಯ.—ಉತ್ತರದಲ್ಲಿ ಪ್ರಿಲಿಮಿನರಿ ಎಸ್ತಿಮೇಟ್ 51 ಸಾವಿರ ಎಂದು ಹೇಳಿದೆ. ಇದು ರೋಡ್ ಎಸ್ತಿಮೇಟ್ ಎಂಬುದು ಸರ್ಕಾರದ ಗಮನಕ್ಕೆ ಬಂದಿದೆಯೇ ?

ಶ್ರೀ ಎಂ. ಎಚ್. ನಾಗನೂರ್.—ಇದು ಹೆಚ್ಚು ಲೆವರ್ ಕಾನ್‌ವೇನೋಸ್ಕರ ಮಾಡಿದೆ.

ಶ್ರೀ ಬಿ. ಇ. ರಾಮಯ್ಯ.—ಈ ರಸ್ತೆಗೆ ಪ್ರಲಮಿನರಿ ಎನ್ಜಿಮೇಟ್ ಮಾಡಿದ್ದಾರೆಂಬುದು ಸರ್ಕಾರದ ಗಮನಕ್ಕೆ ಬಂದಿದೆಯೇ ?

ಶ್ರೀ ಎಂ. ಎ. ನಾಗನೂರ್.—ಪ್ರಲಮಿನರಿ ಎನ್ಜಿಮೇಟ್ ಮಾಡಿತ್ತು. ಈಗ ಹೈಲೆವರ್ ಕಾನ್ವೇ ಗೋಸ್ಕರ ವಾಗಿ 51 ಸಾವಿರ ಎಂದು ಉತ್ತರದಲ್ಲಿ ಹೇಳಿದೆ.

ಶ್ರೀ ಬಿ. ಇ. ರಾಮಯ್ಯ.—ಉತ್ತರದಲ್ಲಿ 51 ಸಾವಿರ ಪ್ರಲಮಿನರಿ ಎನ್ಜಿಮೇಟ್ inclusive of this causeway ಎಂದು ಹೇಳಿದ್ದೀರಿ. ಹೀಗೆ ಹೇಳುವುದ ರಿಂದ ಇದರ ಅರ್ಥವೇನು ?

ಶ್ರೀ ಎಂ. ಎ. ನಾಗನೂರ್.—ಪ್ರಲಮಿನರಿ ಎನ್ಜಿಮೇಟ್ ರಸ್ತೆಗೆ ಮಾತ್ರ ಎಂದು ನಾವು ಹೇಳುವುದು.

Sri H. M. CHANNABASAPPA.—This is one of the items included in the rough estimate. Government are alive to the needs of the people of that area and detailed estimates are being prepared. Immediately that is done, we will take up the work.

ಶ್ರೀ ಬಿ. ಇ. ರಾಮಯ್ಯ.—ಈ ಕೆಲಸಕ್ಕೆ ಎಷ್ಟು ಸಮಯಬೇಕಾಗುತ್ತದೆ ಮತ್ತು ಯಾವಾಗ ಆ ಕೆಲಸ ವನ್ನು ಮುಗಿಸಲಾಗುತ್ತದೆ ?

Sri H. M. CHANNABASAPPA.—It is very difficult to say. In any case, I can assure this much that no time would be lost. All possible efforts would be made to expedite the matter.

ಶ್ರೀ ಬಿ. ಇ. ರಾಮಯ್ಯ.—1959-60ನೆಯ ಸಾಲಿ ನಲ್ಲಿ ಈ ಕೆಲಸವನ್ನು ಪ್ರಾರಂಭಮಾಡುತ್ತೀರಾ ?

Sri H. M. CHANNABASAPPA.—We will try.

Construction of Bridge on Darbe-Subramanya Road in South Kanara District.

*Q.—597. Sri K. VENKATARAMANA GOWDA (Puttur).—

Will the Government be pleased to state :—

(a) whether the contractor in charge of the construction of bridge on the Darbe-Subramanya road in South Kanara District has abandoned the work ;

(b) if so, the reasons therefor ;

(c) what action is proposed to be taken for early execution of the said work ?

L. A.

A.—Sri H. M. CHANNABASAPPA (Minister for Public Works and Electricity).—

(a) Yes.

(b) He has claimed higher rates.

(c) The question of revision of estimate is being examined.

Sri K. VENKATARAMANA GOWDA.—Is it a fact that the work is not in progress now ?

Sri M. N. NAGHNOOR.—Tenders were called for and accepted. The question of rates is now being examined.

Dearness Allowance to the Pensioners.

*Q.—620. Sri F. W. CORBETT (Nominated).—

Will the Government be pleased to state :—

(a) the number of pensioners in Mysore State drawing a monthly Pension of Rs. 5 and less ;

(b) the number of persons drawing Rs. 6 to Rs. 10 ;

(c) whether it is a fact that they get a Dearness Allowance of Rs. 6 only ;

(d) whether it is a fact that Palace Pensioners and Pensioners of Local Bodies get no Dearness Allowance at all ;

(e) whether they have any intention of extending to the State Pensioners the benefit of the enhanced Dearness Allowance of Rs. 10 for those drawing up to Rs. 50 per month and Rs. 12.50 to those drawing above Rs. 50 and up to Rs. 100 per month sanctioned by the Union Government to their pensioners in June 1957 ?

A.—Sri T. MARIAPPA (Minister for Finance).—

(a) and (b) In respect of (a) and (b) information has to be collected from the Treasuries. This will take time.

(c) Yes.

(d) Government have no information. Any increase will have to be met by the Palace and Local Bodies.

(e) Not possible.

Sri F. W. CORBETT.—In regard to questions (a) and (b) will the Government supply the information at a later date ?